


'Green' energy from algae

August 6 2009



Tomorrow's energy suppliers may be microalgae under the microscope. Credit: Photo by: Florian Lehr

In view of the shortage of petrochemical resources and climate change, development of CO₂-neutral sustainable fuels is one of the most urgent challenges of our times. Energy plants like rape or oil palm are being discussed fervently, as they may also be used for food production. Hence, cultivation of microalgae may contribute decisively to tomorrow's energy supply. For energy production from microalgae, Karlsruhe Institute of Technology scientists (Germany) are developing closed photo-bioreactors and novel cell disruption methods.

Microalgae are monocellular, plant-like organisms engaged in photosynthesis and converting carbon dioxide (CO₂) into biomass. From this biomass, both potential resources and active substances as well as fuels like biodiesel may be produced. While growing, algae take up the

amount of CO₂ that is later released again when they are used for energy production. Hence, energy from algae can be produced in a CO₂-neutral manner contrary to conventional energy carriers.

Apart from CO₂-neutral closed loop management, algae have an-other advantage: Industrial CO₂ emissions may be used as a "re-source", as algae grow faster at high [carbon dioxide](#) concentrations and, hence, produce more biomass for energy production.

However, this is not their only advantage: "Compared to land plants, algae produce five times as much biomass per hectare and contain 30 to 40% oil usable for energy production", says Professor Cle-mens Posten, who directs this research activity at the KIT Institute of Life Science Engineering. As the algae may also be cultivated in arid i.e. dry, areas not suited for agriculture, there is hardly any competition with agricultural areas. There, however, closed systems are required.



This is a newly developed plate reactor for an optimum light management in the

cultivation of microalgae as a source of energy at the Karlsruhe Institute of Technology. Credit: Photo by: Florian Lehr

Presently, algae are being produced in open ponds in southern countries of relatively small productivity. This is where Posten's new technology starts. "In terms of process technology, our approach is completely different, as we are working with closed photobioreactors", underlines the scientist. "Our plants convert solar energy into biomass, the efficiency being five times higher than that in open ponds." The plates in usual photo-bioreactors are arranged vertically. "Every alga sees a little bit less light, but the plant is operated at increased efficiency", emphasizes the biologist and electrical engineer. Modern designs under investigation will find more intelligent ways to light distribution.

Consequently, algae production does not only work in countries with an extremely high solar irradiation. Most algae need a maximum of ten percent of the incident sunlight intensity. According to Posten, the remaining fraction would just be wasted, if light management in the photobioreactor would not be optimum. Posten points out that the Sahara offers just twice as much sun as Central Europe. But there, the reactor contents would have to be cooled. Other advantages of the closed system are drastic savings of water and fertilizers. Double use of algae for the production of food or fine chemicals and subsequent energy production from the residual biomass may also be conceivable.

Posten's institute hosts one of the two KIT working groups focusing on research in the field of algae biotechnology. "As far as the development of photobioreactors is concerned, we are among the three locations worldwide, where considerable progress is being achieved in both process technology and biology", explains Posten.

The stop of his research area on the southern KIT campus marks the starting point of research conducted by the Institute for Pulsed Power and Microwave Technology on the northern campus of the KIT. Here, it is focused on extracting the valuable constituents of the algae biomass by an electric pulsed treatment. So far, Dr. Georg Müller, head of this institute's Pulsed Power Technology Division, has studied the decomposition of plant cells of olives, grapes, apples, sugar beets, and terrestrial energy plants in cooperation with partners from research and industry. Partly, large-scale facilities were constructed. "It is our objective to develop new economically efficient and sustainable extraction methods to obtain a maximum amount of cell constituents from the algae that can be used for energy production", says Müller. "The plant cells are exposed to a high electric field for a very short term. This causes a perforation of the cell membrane and the constituents are released."

Cooperation of both working groups now aims at bundling the existing know-how, with starting funds being provided by the KIT Energy Center. It is planned to establish a KIT "Algae Platform" for energy production from microalgae. In the medium term, pilot-scale and demonstration plants shall be built on the northern KIT campus, with the favorable conditions in terms of space and infrastructure being made use of. "This will represent a major node in the presently rather rapid networking of algae biotechnology", emphasizes Posten. To make energy production from algae economically efficient, it will be focused on minimizing investment and operation costs of photobioreactors and on developing highly efficient processes for the harvesting and decomposition of algae.

To close the cycle for the complete use of [algae](#) biomass for [energy production](#), KIT researchers even go another step forwards. The biomass remaining after extraction (60 - 70%) is planned to be converted into other energy carriers like hydrogen or methane by means of the

hydrothermal gasification process developed on the northern campus.

Source: Helmholtz Association of German Research Centres

Citation: 'Green' energy from algae (2009, August 6) retrieved 4 May 2024 from
<https://phys.org/news/2009-08-green-energy-algae.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.