

Scientists Turn Tequila into Diamonds

November 7 2008, by Lisa Zyga



Various tequila bottles in sunlight. Image credit: Aaron Sherman (c) 2005.

(PhysOrg.com) -- Whoever thought that science was a dry subject might change their mind after learning about a new discovery in which tequila is turned into diamonds. A team of Mexican scientists found that the heated vapor from 80-proof (40% alcohol) tequila blanco, when deposited on a silicon or stainless steel substrate, can form diamond films.

The key to the surprising discovery is tequila's ratio of hydrogen, oxygen, and carbon, which lies within the "diamond growth region." The resulting diamond films could have inexpensive commercial applications as electrical insulators, say researchers Javier Morales, Luis Miguel Apátiga, and Víctor Manuel Castaño from the National Autonomous

University of Mexico (Morales is also with Nuevo León's Autonomous University).

Originally, the scientists were experimenting with creating diamonds from organic solutions such as acetone, ethanol, and methanol. They found that diluting ethanol in water resulted in high quality diamond films. The scientists then noticed that the ideal compound of 40 percent ethanol and 60 percent water was similar to the proportion used in tequila.

"To dissipate any doubts, one morning on the way to the lab I bought a pocket-size bottle of cheap white tequila and we did some tests," Apátiga said. "We were in doubt over whether the great amount of chemicals present in tequila, other than water and ethanol, would contaminate or obstruct the process, it turned out to be not so. The results were amazing, same as with the ethanol and water compound, we obtained almost spherical shaped diamonds of nanometric size. There is no doubt; tequila has the exact proportion of carbon, hydrogen and oxygen atoms necessary to form diamonds."

In their experiments, the scientists grew the diamond films using "pulsed liquid injection chemical vapor deposition techniques." In a specially made device, they heated the liquid tequila to 280 °C (536 °F) to transform it into a gas. In a reaction chamber, they heated the gas to 800 °C (1470 °F) to break down its molecular structure, resulting in solid diamond crystals of about 100-400 nm. The crystals fell onto silicon or stainless steel trays, accumulating in a thin, uniform film. The high temperatures removed all of the tequila's carbon impurities to result in pure diamonds.

The final diamond film was hard and heat-resistant - properties that could make the diamond useful as coatings for cutting tools, high-power semiconductors, radiation detectors and optical-electronic devices, the

scientists explained. They plan to begin industrial-scale applications around 2011, and hope to interest a tequila producer in widening its market beyond the traditional beverage.

For now, the scientists are continuing to test different tequilas' abilities to produce diamonds. They're also working on creating doped diamonds, which contain impurities, to serve as semiconductors.

More information: ["Growth of Diamond Films from Tequila"](#)

© 2009 *PhysOrg.com*

Citation: Scientists Turn Tequila into Diamonds (2008, November 7) retrieved 24 April 2024 from <https://phys.org/news/2008-11-scientists-tequila-diamonds.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--